


O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09003.1-1.6	3.1	6.3	1.6	
*	09003.2-1	3.2	5.2	1	Ss-032
*	09003.2-1.1	3.2	5.4	1.1	
*	09003.2-1.5	3.2	6.2	1.5	
*	09003.2-2.5	3.2	8.2	2.5	
*	09003.25-2.3	3.25	7.85	2.3	
*	09003.3-0.6	3.3	4.5	0.6	
*	09003.3-1	3.3	5.3	1	
*	09003.3-1.1	3.3	5.5	1.1	
*	09003.3-2.4	3.3	8.1	2.4	
*	09003.35-1.78	3.35	6.91	1.78	
*	09003.4-1.9	3.4	7.2	1.9	
*	02004	3.4	9.6	3.1	G-4
*	09003.5-0.5	3.5	4.5	0.5	
*	09003.5-0.9	3.5	5.3	0.9	
*	09003.5-1	3.5	5.5	1	Ss-035
*	09003.5-1.2	3.5	5.9	1.2	
*	09003.5-1.3	3.5	6.1	1.3	
	04004	3.5	6.5	1.5	S-4
*	09003.5-2	3.5	7.5	2	
*	09003.5-2.25	3.5	8	2.25	
*	09003.5-2.5	3.5	8.5	2.5	
*	09003.5-3	3.5	9.5	3	
*	09003.56-1.32	3.56	6.2	1.32	
*	09003.6-0.8	3.6	5.2	0.8	
	08105	3.63	8.87	2.62	AS-105
	08007	3.69	7.25	1.78	AS-007
*	09003.7-0.6	3.7	4.9	0.6	
*	09003.8-1	3.8	5.8	1	Ss-038
*	09003.8-1.27	3.8	6.34	1.27	
*	09003.8-1.4	3.8	6.6	1.4	
*	09003.8-1.5	3.8	6.8	1.5	
	01004	3.8	7.6	1.9	P-4
*	09003.8-2.2	3.8	8.2	2.2	
*	09003.8-4	3.8	11.8	4	
*	09003.9-1.2	3.9	6.3	1.2	
*	09003.9-1.78	3.9	7.46	1.78	
*	09004-0.5	4	5	0.5	
*	09004-0.8	4	5.6	0.8	
*	09004-1	4	6	1	Ss-040

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09004-1.2	4	6.4	1.2	
*	09004-1.25	4	6.5	1.25	
*	09004-1.5	4	7	1.5	
*	09004-1.7	4	7.4	1.7	
*	09004-2	4	8	2	
*	09004-2.2	4	8.4	2.2	
*	09004-2.4	4	8.8	2.4	
*	09004-2.5	4	9	2.5	
*	09004-3	4	10	3	
*	09004-4	4	12	4	
*	09004.2-1	4.2	6.2	1	Ss-042
*	09004.2-1.2	4.2	6.6	1.2	
*	09004.2-1.9	4.2	8	1.9	
*	09004.3-1	4.3	6.3	1	
*	09004.3-2	4.3	8.3	2	
*	09004.3-2.4	4.3	9.1	2.4	
*	09004.3-4.2	4.3	12.7	4.2	
	08201	4.34	11.4	3.53	AS-201
*	09004.4-1.9	4.4	8.2	1.9	
*	02005	4.4	10.6	3.1	G-5
	08106	4.42	9.66	2.62	AS-106
	08008	4.47	8.03	1.78	AS-008
*	09004.5-1	4.5	6.5	1	Ss-045
	04005	4.5	7.5	1.5	S-5
*	09004.5-2	4.5	8.5	2	
*	09004.5-2.5	4.5	9.5	2.5	
*	09004.5-3	4.5	10.5	3	
*	09004.6-1.2	4.6	7	1.2	
*	09004.6-2.2	4.6	9	2.2	
*	09004.7-1	4.7	6.7	1	
	08901	4.7	7.54	1.42	AS-901
*	09004.75-1.78	4.75	8.31	1.78	
*	09004.8-1	4.8	6.8	1	Ss-048
*	09004.8-1.5	4.8	7.8	1.5	
	01005	4.8	8.6	1.9	P-5
*	09005-0.5	5	6	0.5	
*	09005-1	5	7	1	Ss-050
*	09005-1.2	5	7.4	1.2	
*	09005-1.5	5	8	1.5	
*	09005-2	5	9	2	

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



單位 unit: mm

材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K


	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09005-2.5	5	10	2.5	
*	09005-3	5	11	3	
*	09005-3.5	5	12	3.5	
*	09005-4	5	13	4	
*	09005-5	5	15	5	Gm-005
*	09005.1-1.6	5.1	8.3	1.6	
*	09005.1-2	5.1	9.1	2	
*	09005.2-3	5.2	11.2	3	
	08107	5.23	10.47	2.62	AS-107
	08009	5.29	8.85	1.78	AS-009
*	09005.3-1.6	5.3	8.5	1.6	
*	09005.3-2	5.3	9.3	2	
*	09005.3-2.4	5.3	10.1	2.4	
*	09005.4-0.8	5.4	7	0.8	
*	09005.4-2.8	5.4	11	2.8	
*	02006	5.4	11.6	3.1	G-6
*	09005.5-1	5.5	7.5	1	Ss-055
*	09005.5-1.3	5.5	8.1	1.3	
	04006	5.5	8.5	1.5	S-6
*	09005.5-2	5.5	9.5	2	
*	09005.6-2.4	5.6	10.4	2.4	
*	09005.6-3	5.6	11.6	3	
*	09005.7-2.5	5.7	10.7	2.5	
*	09005.75-1.7	5.75	9.15	1.7	
*	09005.8-1.8	5.8	9.4	1.8	
	01006	5.8	9.6	1.9	P-6
*	09005.8-2	5.8	9.8	2	
*	09005.8-3.1	5.8	12	3.1	
*	09005.9-1.5	5.9	8.9	1.5	
	08202	5.94	13	3.53	AS-202
*	09006-0.8	6	7.6	0.8	
*	09006-1	6	8	1	Ss-060
*	09006-1.2	6	8.4	1.2	
*	09006-1.5	6	9	1.5	
*	09006-2	6	10	2	
*	09006-2.2	6	10.4	2.2	
*	09006-2.5	6	11	2.5	
*	09006-2.8	6	11.6	2.8	
*	09006-3	6	12	3	
*	09006-4	6	14	4	

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09006-5	6	16	5	
	08108	6.02	11.26	2.62	AS-108
	08902	6.07	9.33	1.63	AS-902
	08010	6.07	9.63	1.78	AS-010
*	09006.1-2.3	6.1	10.7	2.3	
*	09006.25-1	6.25	8.25	1	
*	09006.3-0.75	6.3	7.8	0.75	
*	09006.3-2.4	6.3	11.1	2.4	
*	09006.4-0.6	6.4	7.6	0.6	
*	09006.4-2.5	6.4	11.4	2.5	
*	02007	6.4	12.6	3.1	G-7
*	09006.5-1	6.5	8.5	1	Ss-065
*	09006.5-1.2	6.5	8.9	1.2	
	04007	6.5	9.5	1.5	S-7
*	09006.5-2	6.5	10.5	2	
*	09006.5-2.5	6.5	11.5	2.5	
*	09006.5-3	6.5	12.5	3	
*	09006.5-3.5	6.5	13.5	3.5	
*	09006.5-4.3	6.5	15.1	4.3	
*	09006.5-5	6.5	16.5	5	
*	09006.6-2.4	6.6	11.4	2.4	
*	09006.7-1.5	6.7	9.7	1.5	
*	09006.75-1.78	6.75	10.31	1.78	
*	09006.8-1	6.8	8.8	1	
*	09006.8-1.5	6.8	9.8	1.5	
	01007	6.8	10.6	1.9	P-7
*	09006.8-2	6.8	10.8	2	
*	09006.9-2.34	6.9	11.58	2.34	
*	09007-0.8	7	8.6	0.8	
*	09007-1	7	9	1	Ss-070
*	09007-1.5	7	10	1.5	
*	09007-1.7	7	10.4	1.7	
*	09007-1.8	7	10.6	1.8	
*	09007-2	7	11	2	
*	09007-2.5	7	12	2.5	
*	09007-3	7	13	3	
*	09007-4	7	15	4	
*	09007-5	7	17	5	
*	09007.1-1.7	7.1	10.5	1.7	
*	09007.2-1.9	7.2	11	1.9	

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09007.3-2.2	7.3	11.7	2.2	
*	09007.3-2.4	7.3	12.1	2.4	
*	02008	7.4	13.6	3.1	G-8
*	09007.5-1	7.5	9.5	1	Ss-075
	04008	7.5	10.5	1.5	S-8
*	09007.5-2	7.5	11.5	2	
*	09007.5-2.2	7.5	11.9	2.2	
*	09007.5-2.5	7.5	12.5	2.5	
*	09007.5-3	7.5	13.5	3	
*	09007.5-4	7.5	15.5	4	
	08203	7.52	14.58	3.53	AS-203
*	09007.6-1.2	7.6	10	1.2	
	08109	7.6	12.84	2.62	AS-109
*	09007.65-1	7.65	9.65	1	
	08903	7.65	10.91	1.63	AS-903
	08011	7.65	11.21	1.78	AS-011
*	09007.8-1.8	7.8	11.4	1.8	
	01008	7.8	11.6	1.9	P-8
*	09007.8-2.4	7.8	12.6	2.4	
*	09007.94-1.78	7.94	11.5	1.78	
*	09007.95-1.3	7.95	10.55	1.3	
*	09008-1	8	10	1	Ss-080
*	09008-1.25	8	10.5	1.25	
*	09008-1.5	8	11	1.5	
*	09008-1.6	8	11.2	1.6	
*	09008-1.9	8	11.8	1.9	
*	09008-2	8	12	2	
*	09008-2.2	8	12.4	2.2	
*	09008-2.5	8	13	2.5	
*	09008-3	8	14	3	
*	09008-3.5	8	15	3.5	
*	09008-4	8	16	4	
*	09008-4.5	8	17	4.5	
*	09008-5	8	18	5	
*	09008-8	8	24	8	
*	09008.3-1.5	8.3	11.3	1.5	
*	09008.3-2.4	8.3	13.1	2.4	
*	02009	8.4	14.6	3.1	G-9
*	09008.5-0.5	8.5	9.5	0.5	
*	09008.5-1	8.5	10.5	1	Ss-085

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
	04009	8.5	11.5	1.5	S-9
*	09008.5-1.78	8.5	12.06	1.78	
*	09008.5-2	8.5	12.5	2	
*	09008.5-2.5	8.5	13.5	2.5	
*	09008.6-1.27	8.6	11.14	1.27	
*	09008.6-1.8	8.6	12.2	1.8	
*	09008.6-1.9	8.6	12.4	1.9	
*	09008.6-2.4	8.6	13.4	2.4	
*	09008.6-3	8.6	14.6	3	
*	09008.6-3.1	8.6	14.8	3.1	
*	09008.73-1.78	8.73	12.29	1.78	
*	09008.8-1.4	8.8	11.6	1.4	
	01009	8.8	12.6	1.9	P-9
*	09008.85-1.64	8.85	12.13	1.64	
*	09008.9-2.7	8.9	14.3	2.7	
	08904	8.92	12.58	1.83	AS-904
*	09009-1	9	11	1	Ss-090
*	09009-1.5	9	12	1.5	
*	09009-1.6	9	12.2	1.6	
*	09009-1.9	9	12.8	1.9	
*	09009-2	9	13	2	
*	09009-2.2	9	13.4	2.2	
*	09009-2.5	9	14	2.5	
*	09009-3	9	15	3	
*	09009-3.5	9	16	3.5	
*	09009-4	9	17	4	
*	09009-4.5	9	18	4.5	
*	09009-5	9	19	5	
*	09009-8	9	25	8	
*	09009.1-1.6	9.1	12.3	1.6	
	08204	9.12	16.18	3.53	AS-204
*	09009.15-3	9.15	15.15	3	
	08110	9.19	14.43	2.62	AS-110
*	09009.2-1.9	9.2	13	1.9	
*	09009.25-1.14	9.25	11.53	1.14	
	08012	9.25	12.81	1.78	AS-012
*	09009.3-2.3	9.3	13.9	2.3	
*	09009.3-2.4	9.3	14.1	2.4	
*	09009.4-1.3	9.4	12	1.3	
*	02010	9.4	15.6	3.1	G-10

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)