


O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09007.3-2.2	7.3	11.7	2.2	
*	09007.3-2.4	7.3	12.1	2.4	
*	02008	7.4	13.6	3.1	G-8
*	09007.5-1	7.5	9.5	1	Ss-075
	04008	7.5	10.5	1.5	S-8
*	09007.5-2	7.5	11.5	2	
*	09007.5-2.2	7.5	11.9	2.2	
*	09007.5-2.5	7.5	12.5	2.5	
*	09007.5-3	7.5	13.5	3	
*	09007.5-4	7.5	15.5	4	
	08203	7.52	14.58	3.53	AS-203
*	09007.6-1.2	7.6	10	1.2	
	08109	7.6	12.84	2.62	AS-109
*	09007.65-1	7.65	9.65	1	
	08903	7.65	10.91	1.63	AS-903
	08011	7.65	11.21	1.78	AS-011
*	09007.8-1.8	7.8	11.4	1.8	
	01008	7.8	11.6	1.9	P-8
*	09007.8-2.4	7.8	12.6	2.4	
*	09007.94-1.78	7.94	11.5	1.78	
*	09007.95-1.3	7.95	10.55	1.3	
*	09008-1	8	10	1	Ss-080
*	09008-1.25	8	10.5	1.25	
*	09008-1.5	8	11	1.5	
*	09008-1.6	8	11.2	1.6	
*	09008-1.9	8	11.8	1.9	
*	09008-2	8	12	2	
*	09008-2.2	8	12.4	2.2	
*	09008-2.5	8	13	2.5	
*	09008-3	8	14	3	
*	09008-3.5	8	15	3.5	
*	09008-4	8	16	4	
*	09008-4.5	8	17	4.5	
*	09008-5	8	18	5	
*	09008-8	8	24	8	
*	09008.3-1.5	8.3	11.3	1.5	
*	09008.3-2.4	8.3	13.1	2.4	
*	02009	8.4	14.6	3.1	G-9
*	09008.5-0.5	8.5	9.5	0.5	
*	09008.5-1	8.5	10.5	1	Ss-085

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
	04009	8.5	11.5	1.5	S-9
*	09008.5-1.78	8.5	12.06	1.78	
*	09008.5-2	8.5	12.5	2	
*	09008.5-2.5	8.5	13.5	2.5	
*	09008.6-1.27	8.6	11.14	1.27	
*	09008.6-1.8	8.6	12.2	1.8	
*	09008.6-1.9	8.6	12.4	1.9	
*	09008.6-2.4	8.6	13.4	2.4	
*	09008.6-3	8.6	14.6	3	
*	09008.6-3.1	8.6	14.8	3.1	
*	09008.73-1.78	8.73	12.29	1.78	
*	09008.8-1.4	8.8	11.6	1.4	
	01009	8.8	12.6	1.9	P-9
*	09008.85-1.64	8.85	12.13	1.64	
*	09008.9-2.7	8.9	14.3	2.7	
	08904	8.92	12.58	1.83	AS-904
*	09009-1	9	11	1	Ss-090
*	09009-1.5	9	12	1.5	
*	09009-1.6	9	12.2	1.6	
*	09009-1.9	9	12.8	1.9	
*	09009-2	9	13	2	
*	09009-2.2	9	13.4	2.2	
*	09009-2.5	9	14	2.5	
*	09009-3	9	15	3	
*	09009-3.5	9	16	3.5	
*	09009-4	9	17	4	
*	09009-4.5	9	18	4.5	
*	09009-5	9	19	5	
*	09009-8	9	25	8	
*	09009.1-1.6	9.1	12.3	1.6	
	08204	9.12	16.18	3.53	AS-204
*	09009.15-3	9.15	15.15	3	
	08110	9.19	14.43	2.62	AS-110
*	09009.2-1.9	9.2	13	1.9	
*	09009.25-1.14	9.25	11.53	1.14	
	08012	9.25	12.81	1.78	AS-012
*	09009.3-2.3	9.3	13.9	2.3	
*	09009.3-2.4	9.3	14.1	2.4	
*	09009.4-1.3	9.4	12	1.3	
*	02010	9.4	15.6	3.1	G-10

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



單位 unit: mm

材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K


	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09009.41-0.99	9.41	11.39	0.99	
*	09009.5-1	9.5	11.5	1	Ss-095
*	09009.5-1.2	9.5	11.9	1.2	
	04010	9.5	12.5	1.5	S-10
*	09009.5-1.78	9.5	13.06	1.78	
*	09009.5-2	9.5	13.5	2	
*	09009.5-2.5	9.5	14.5	2.5	
*	09009.5-3	9.5	15.5	3	
*	09009.5-4	9.5	17.5	4	V-10
*	09009.5-4.5	9.5	18.5	4.5	
*	09009.53-4.75	9.53	19.03	4.75	
*	09009.75-1.78	9.75	13.31	1.78	
*	09009.8-1.5	9.8	12.8	1.5	
	01010	9.8	13.6	1.9	P-10
*	09009.8-2	9.8	13.8	2	
	01010A	9.8	14.6	2.4	P-10A
*	09009.92-2.6	9.92	15.12	2.6	
*	09010-0.63	10	11.26	0.63	
*	09010-1	10	12	1	Ss-100
*	09010-1.25	10	12.5	1.25	
*	09010-1.5	10	13	1.5	
*	09010-1.9	10	13.8	1.9	
*	09010-2	10	14	2	
*	09010-2.25	10	14.5	2.25	
*	09010-2.4	10	14.8	2.4	
*	09010-2.5	10	15	2.5	
*	09010-3	10	16	3	
*	09010-3.5	10	17	3.5	
*	09010-4	10	18	4	
*	09010-5	10	20	5	Gm-010
*	09010-6	10	22	6	
*	09010-6.5	10	23	6.5	
*	09010-7	10	24	7	
*	09010-10	10	30	10	
*	09010.3-2.4	10.3	15.1	2.4	
*	02011	10.4	16.6	3.1	G-11
	08309	10.46	21.12	5.33	AS-309
*	09010.5-0.8	10.5	12.1	0.8	
*	09010.5-1	10.5	12.5	1	Ss-105
*	09010.5-1.5	10.5	13.5	1.5	

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09010.5-2	10.5	14.5	2	
*	09010.5-2.2	10.5	14.9	2.2	
*	09010.5-2.5	10.5	15.5	2.5	
*	09010.5-2.7	10.5	15.9	2.7	
*	09010.5-3	10.5	16.5	3	
*	09010.5-4	10.5	18.5	4	V-11
*	09010.5-4.5	10.5	19.5	4.5	
	08905	10.52	14.18	1.83	AS-905
*	09010.6-2.4	10.6	15.4	2.4	
*	09010.65-2.75	10.65	16.15	2.75	
	08205	10.69	17.75	3.53	AS-205
	04011.2	10.7	13.7	1.5	S-11.2
*	09010.7-2	10.7	14.7	2	
	08111	10.77	16.01	2.62	AS-111
	01011	10.8	15.6	2.4	P-11
	08013	10.82	14.38	1.78	AS-013
*	09011-1	11	13	1	Ss-110
*	09011-1.2	11	13.4	1.2	
*	09011-1.3	11	13.6	1.3	
*	09011-1.5	11	14	1.5	
*	09011-1.7	11	14.4	1.7	
	071011	11	14.8	1.9	JASO-1011
*	09011-2	11	15	2	
*	09011-2.2	11	15.4	2.2	
	01011.2	11	15.8	2.4	P-11.2
*	09011-2.5	11	16	2.5	
*	09011-3	11	17	3	
*	09011-3.5	11	18	3.5	
*	09011-4	11	19	4	
*	09011-5	11	21	5	
*	09011-6	11	23	6	
*	09011.1-1.6	11.1	14.3	1.6	
*	09011.1-1.78	11.1	14.66	1.78	
*	09011.2-2.5	11.2	16.2	2.5	
*	09011.3-1	11.3	13.3	1	
*	09011.3-2.4	11.3	16.1	2.4	
*	02012	11.4	17.6	3.1	G-12
*	09011.5-1	11.5	13.5	1	Ss-115
	04012	11.5	14.5	1.5	S-12
*	09011.5-2	11.5	15.5	2	

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09011.5-2.5	11.5	16.5	2.5	
*	09011.5-2.62	11.5	16.74	2.62	
*	09011.5-3	11.5	17.5	3	
*	09011.5-3.5	11.5	18.5	3.5	
*	09011.5-4	11.5	19.5	4	V-12
*	09011.6-1.2	11.6	14	1.2	
*	09011.8-2	11.8	15.8	2	
	01012	11.8	16.6	2.4	P-12
*	09011.88-1.78	11.88	15.44	1.78	
	08906	11.89	15.85	1.98	AS-906
*	09011.91-2.62	11.91	17.15	2.62	
*	09012-1	12	14	1	Ss-120
*	09012-1.2	12	14.4	1.2	
	04012.5	12	15	1.5	S-12.5
*	09012-1.8	12	15.6	1.8	
*	09012-2	12	16	2	
*	09012-2.5	12	17	2.5	
*	09012-3	12	18	3	
*	09012-3.5	12	19	3.5	
*	09012-4	12	20	4	
*	09012-4.2	12	20.4	4.2	
*	09012-4.5	12	21	4.5	
*	09012-5	12	22	5	
*	09012-6	12	24	6	
*	09012-8	12	28	8	
*	09012-10	12	32	10	
*	09012-12	12	36	12	
	08310	12.07	22.73	5.33	AS-310
*	09012.2-1.8	12.2	15.8	1.8	
*	09012.2-3	12.2	18.2	3	
	08206	12.29	19.35	3.53	AS-206
	071012	12.3	16.1	1.9	JASO-1012
	01012.5	12.3	17.1	2.4	P-12.5
*	09012.3-3	12.3	18.3	3	
	08112	12.37	17.61	2.62	AS-112
*	02013	12.4	18.6	3.1	G-13
	08014	12.42	15.98	1.78	AS-014
*	09012.5-1	12.5	14.5	1	Ss-125
*	09012.5-1.5	12.5	15.5	1.5	
*	09012.5-2	12.5	16.5	2	

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09012.5-3	12.5	18.5	3	
*	09012.5-4	12.5	20.5	4	
*	09012.6-2.5	12.6	17.6	2.5	
*	09012.67-2	12.67	16.67	2	
*	09012.7-1.57	12.7	15.84	1.57	
*	09012.8-2	12.8	16.8	2	
*	09012.8-2.4	12.8	17.6	2.4	
*	09012.8-2.5	12.8	17.8	2.5	
*	09013-1	13	15	1	Ss-130
*	09013-1.5	13	16	1.5	
*	09013-1.78	13	16.56	1.78	
	071013	13	16.8	1.9	JASO-1013
*	09013-2	13	17	2	
	072013	13	17.8	2.4	JASO-2013
*	09013-2.5	13	18	2.5	
*	09013-3	13	19	3	
*	09013-3.5	13	20	3.5	
*	09013-3.7	13	20.4	3.7	
*	09013-4	13	21	4	
*	09013-4.5	13	22	4.5	
*	09013-5	13	23	5	
*	09013-6	13	25	6	
*	09013.1-1.6	13.1	16.3	1.6	
*	09013.1-2.62	13.1	18.34	2.62	
*	09013.3-1.5	13.3	16.3	1.5	
*	09013.3-2.4	13.3	18.1	2.4	
*	09013.34-1.78	13.34	16.9	1.78	
*	02014	13.4	19.6	3.1	G-14
	08907	13.46	17.62	2.08	AS-907
*	09013.49-1.17	13.49	15.83	1.17	
*	09013.5-1	13.5	15.5	1	Ss-135
	04014	13.5	16.5	1.5	S-14
*	09013.5-2	13.5	17.5	2	
*	09013.5-2.2	13.5	17.9	2.2	
*	09013.5-2.5	13.5	18.5	2.5	
*	09013.5-3	13.5	19.5	3	
*	09013.5-3.5	13.5	20.5	3.5	
*	09013.5-4	13.5	21.5	4	V-14
	08311	13.64	24.3	5.33	AS-311
	071014	13.8	17.6	1.9	JASO-1014

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)