

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09044-4	44	52	4	
*	09044-4.5	44	53	4.5	
*	09044-5	44	54	5	
*	09044-5.5	44	55	5.5	
*	09044-6	44	56	6	
*	09044-8	44	60	8	
	08224	44.05	51.11	3.53	AS-224
	08132	44.12	49.36	2.62	AS-132
	08031	44.17	47.73	1.78	AS-031
*	09044.2-5.7	44.2	55.6	5.7	
	02045	44.4	50.6	3.1	G-45
	04045	44.5	48.5	2	S-45
*	09044.5-2.5	44.5	49.5	2.5	
*	09044.5-4	44.5	52.5	4	V-45
	072045	44.7	49.5	2.4	JASO-2045
	01045	44.7	51.7	3.5	P-45
*	09045-1	45	47	1	
*	09045-1.5	45	48	1.5	
*	09045-2	45	49	2	
*	09045-2.5	45	50	2.5	
*	09045-3	45	51	3	
*	09045-4	45	53	4	
*	09045-4.5	45	54	4.5	
*	09045-5	45	55	5	Gm-045
*	09045-6	45	57	6	
*	09045-7	45	59	7	
*	09045-8	45	61	8	
*	09045-10	45	65	10	
*	09045.36-3.53	45.36	52.42	3.53	
	04046	45.5	49.5	2	S-46
*	09045.5-4	45.5	53.5	4	V-46
	08133	45.7	50.94	2.62	AS-133
	01046	45.7	52.7	3.5	P-46
*	09045.8-1.5	45.8	48.8	1.5	
*	09046-1	46	48	1	
*	09046-1.5	46	49	1.5	
*	09046-2	46	50	2	
*	09046-2.5	46	51	2.5	
*	09046-3	46	52	3	
*	09046-3.5	46	53	3.5	


	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09046-4	46	54	4	
*	09046-4.5	46	55	4.5	
*	09046-5	46	56	5	
*	09046-6	46	58	6	
*	09046-7	46	60	7	
*	09046.4-2.4	46.4	51.2	2.4	
*	09046.5-3	46.5	52.5	3	
*	09046.5-4	46.5	54.5	4	
*	09046.6-5.7	46.6	58	5.7	
*	09046.8-1.5	46.8	49.8	1.5	
	08328	46.99	57.65	5.33	AS-328
*	09047-1	47	49	1	
*	09047-1.5	47	50	1.5	
*	09047-2	47	51	2	
*	09047-2.5	47	52	2.5	
*	09047-3	47	53	3	
*	09047-3.5	47	54	3.5	
*	09047-4	47	55	4	
*	09047-4.5	47	56	4.5	
*	09047-5	47	57	5	
*	01047A	47	58.4	5.7	P-47A
*	09047-6	47	59	6	
*	09047-7	47	61	7	
	072047	47.2	52	2.4	JASO-2047
	08225	47.22	54.28	3.53	AS-225
	08134	47.3	52.54	2.62	AS-134
	08032	47.35	50.91	1.78	AS-032
	04048	47.5	51.5	2	S-48
*	09047.5-3	47.5	53.5	3	
*	09047.5-3.5	47.5	54.5	3.5	
*	09047.5-4	47.5	55.5	4	V-48
*	09047.6-2.4	47.6	52.4	2.4	
	01048A	47.6	59	5.7	P-48A
	01048	47.7	54.7	3.5	P-48
*	09047.7-6	47.7	59.7	6	
*	09048-1	48	50	1	
*	09048-1.5	48	51	1.5	
*	09048-2	48	52	2	
*	09048-2.5	48	53	2.5	
*	09048-3	48	54	3	

O 環尺寸

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09048-3.5	48	55	3.5	
*	09048-4	48	56	4	
*	09048-4.5	48	57	4.5	
*	09048-5	48	58	5	
*	09048-6	48	60	6	
*	09048-8	48	64	8	
*	09048.3-2.4	48.3	53.1	2.4	
*	09048.7-2	48.7	52.7	2	
	01049	48.7	55.7	3.5	P-49
	08135	48.9	54.14	2.62	AS-135
*	09049-1	49	51	1	
*	09049-1.5	49	52	1.5	
*	09049-2	49	53	2	
*	09049-2.5	49	54	2.5	
*	09049-3	49	55	3	
*	09049-3.5	49	56	3.5	
*	09049-4	49	57	4	
*	09049-4.5	49	58	4.5	
*	09049-5	49	59	5	
*	09049-5.7	49	60.4	5.7	
*	09049-6	49	61	6	
*	09049-7	49	63	7	
*	09049.1-2.5	49.1	54.1	2.5	
*	09049.2-1.4	49.2	52	1.4	
*	09049.21-3.53	49.21	56.27	3.53	
	02050	49.4	55.6	3.1	G-50
*	09049.5-1.5	49.5	52.5	1.5	
	04050	49.5	53.5	2	S-50
*	09049.5-2.5	49.5	54.5	2.5	
*	09049.5-3	49.5	55.5	3	
*	09049.5-4	49.5	57.5	4	V-50
	01050A	49.6	61	5.7	P-50A
	072050	49.7	54.5	2.4	JASO-2050
	01050	49.7	56.7	3.5	P-50
*	09050-1	50	52	1	
*	09050-1.5	50	53	1.5	
*	09050-2	50	54	2	
*	09050-2.5	50	55	2.5	
*	09050-2.8	50	55.6	2.8	
*	09050-3	50	56	3	

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09050-4	50	58	4	
*	09050-4.5	50	59	4.5	
*	09050-5	50	60	5	Gm-050
*	09050-6	50	62	6	
*	09050-7	50	64	7	
*	09050-8	50	66	8	
*	09050-10	50	70	10	
*	09050-16	50	82	16	
	08329	50.16	60.82	5.33	AS-329
	08226	50.4	57.46	3.53	AS-226
	08136	50.47	55.71	2.62	AS-136
	08033	50.52	54.08	1.78	AS-033
*	09051-1	51	53	1	
*	09051-1.5	51	54	1.5	
*	09051-2	51	55	2	
*	09051-2.5	51	56	2.5	
*	09051-3	51	57	3	
*	09051-3.5	51	58	3.5	
*	09051-4	51	59	4	
*	09051-4.5	51	60	4.5	
*	09051-5	51	61	5	
*	09051-7	51	65	7	
*	02052	51.4	57.6	3.1	G-52
*	09051.5-6	51.5	63.5	6	
*	09051.6-2.4	51.6	56.4	2.4	
*	09051.6-3.5	51.6	58.6	3.5	
	01052	51.6	63	5.7	P-52
*	09052-1	52	54	1	
*	09052-1.4	52	54.8	1.4	
*	09052-1.5	52	55	1.5	
*	09052-2	52	56	2	
*	09052-2.5	52	57	2.5	
*	09052-3	52	58	3	
*	09052-4	52	60	4	
*	09052-4.5	52	61	4.5	
*	09052-5	52	62	5	
*	09052-6	52	64	6	
*	09052-8	52	68	8	
	08137	52.07	57.31	2.62	AS-137
*	09052.3-2.6	52.3	57.5	2.6	

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09052.32-3.53	52.32	59.38	3.53	
	04053	52.5	56.5	2	S-53
*	09052.5-3.1	52.5	58.7	3.1	
*	09052.5-4	52.5	60.5	4	V-53
	072053	52.6	57.4	2.4	JASO-2053
	073053	52.6	59.6	3.5	JASO-3053
	01053	52.6	64	5.7	P-53
*	09053-1	53	55	1	
*	09053-1.5	53	56	1.5	
*	09053-2	53	57	2	
*	09053-2.5	53	58	2.5	
*	09053-3	53	59	3	
*	09053-4	53	61	4	
*	09053-4.5	53	62	4.5	
*	09053-5	53	63	5	
*	09053-6	53	65	6	
*	09053-7	53	67	7	
*	09053-9	53	71	9	
	08928	53.09	59.09	3	AS-928
	08330	53.34	64	5.33	AS-330
	08227	53.57	60.63	3.53	AS-227
	08138	53.65	58.89	2.62	AS-138
*	09053.69-2	53.69	57.69	2	
	08034	53.7	57.26	1.78	AS-034
*	09053.8-2.4	53.8	58.6	2.4	
*	09054-1	54	56	1	
*	09054-1.5	54	57	1.5	
*	09054-2	54	58	2	
*	09054-2.5	54	59	2.5	
*	09054-3	54	60	3	
*	09054-3.5	54	61	3.5	
*	09054-4	54	62	4	
*	09054-4.5	54	63	4.5	
*	09054-5	54	64	5	
*	09054-6	54	66	6	
*	09054.1-3	54.1	60.1	3	
*	09054.2-2.4	54.2	59	2.4	
*	09054.2-5.7	54.2	65.6	5.7	
	02055	54.4	60.6	3.1	G-55
	04055	54.5	58.5	2	S-55

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09054.5-2.5	54.5	59.5	2.5	
	09054.5-4	54.5	62.5	4	V-55
	01055	54.6	66	5.7	P-55
*	09055-1	55	57	1	
*	09055-1.5	55	58	1.5	
*	09055-2	55	59	2	
*	09055-2.5	55	60	2.5	
*	09055-3	55	61	3	
*	09055-3.5	55	62	3.5	
*	09055-4	55	63	4	
*	09055-4.5	55	64	4.5	
*	09055-5	55	65	5	Gm-055
*	09055-6	55	67	6	
*	09055-6.5	55	68	6.5	
*	09055-8	55	71	8	
	08139	55.25	60.49	2.62	AS-139
	04056	55.5	59.5	2	S-56
*	09055.5-2.15	55.5	59.8	2.15	
*	09055.5-3	55.5	61.5	3	
*	09055.5-4	55.5	63.5	4	V-56
	072056	55.6	60.4	2.4	JASO-2056
	073056	55.6	62.6	3.5	JASO-3056
	01056	55.6	67	5.7	P-56
*	09055.9-1.2	55.9	58.3	1.2	
*	09056-1	56	58	1	
*	09056-1.5	56	59	1.5	
*	09056-2	56	60	2	
*	09056-2.5	56	61	2.5	
*	09056-3	56	62	3	
*	09056-3.5	56	63	3.5	
*	09056-4	56	64	4	
*	09056-4.5	56	65	4.5	
*	09056-5	56	66	5	
*	09056-6	56	68	6	
*	09056-7	56	70	7	
*	09056.5-2.5	56.5	61.5	2.5	
*	09056.5-3.1	56.5	62.7	3.1	
	08331	56.52	67.18	5.33	AS-331
*	09056.7-2	56.7	60.7	2	
	08228	56.75	63.81	3.53	AS-228

O 環 尺寸

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)