

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09098-5	98	108	5	
*	09098-6	98	110	6	
	08241	98.02	105.08	3.53	AS-241
*	09098.5-2	98.5	102.5	2	
*	09099-2	99	103	2	
*	09099-2.09	99	103.18	2.09	
*	09099-3	99	105	3	
	09099-4	99	107	4	V-100
*	09099-5	99	109	5	
*	09099-7	99	113	7	
	02100	99.4	105.6	3.1	G-100
	04100	99.5	103.5	2	S-100
	073100	99.6	106.6	3.5	JASO-3100
	01100	99.6	111	5.7	P-100
*	09100-1	100	102	1	
*	09100-1.3	100	102.6	1.3	
*	09100-1.5	100	103	1.5	
*	09100-2	100	104	2	
*	09100-2.5	100	105	2.5	
*	09100-3	100	106	3	
*	09100-3.5	100	107	3.5	
*	09100-4	100	108	4	
*	09100-4.5	100	109	4.5	
*	09100-5	100	110	5	Gm-100
*	09100-6	100	112	6	
*	09100-8	100	116	8	
*	09100-10	100	120	10	
*	09100-12	100	124	12	
*	09100.5-4.5	100.5	109.5	4.5	
	08345	100.96	111.62	5.33	AS-345
*	09101-4.3	101	109.6	4.3	
*	09101-7	101	115	7	
	08242	101.19	108.25	3.53	AS-242
	08155	101.27	106.51	2.62	AS-155
	08045	101.32	104.88	1.78	AS-045
	01102	101.6	113	5.7	P-102
*	09102-1.5	102	105	1.5	
*	09102-2.5	102	107	2.5	
*	09102-3	102	108	3	
*	09102-3.1	102	108.2	3.1	


	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09102-4	102	110	4	
*	09102-5	102	112	5	
*	09103-2	103	107	2	
*	09103-2.5	103	108	2.5	
*	09103-3	103	109	3	
*	09103-3.5	103	110	3.5	
*	09103-4	103	111	4	
*	09103-5	103	113	5	
*	09103-6	103	115	6	
*	09104-2	104	108	2	
*	09104-2.5	104	109	2.5	
*	09104-4	104	112	4	V-105
*	09104-7	104	118	7	
	08346	104.14	114.8	5.33	AS-346
*	09104.2-3	104.2	110.2	3	
	08243	104.37	111.43	3.53	AS-243
	02105	104.4	110.6	3.1	G-105
*	09104.5-1.8	104.5	108.1	1.8	
	04105	104.5	108.5	2	S-105
	01105	104.6	116	5.7	P-105
*	09105-1	105	107	1	
*	09105-2	105	109	2	
*	09105-2.5	105	110	2.5	
*	09105-3	105	111	3	
*	09105-4	105	113	4	
*	09105-4.5	105	114	4.5	
*	09105-5	105	115	5	Gm-105
*	09105-6	105	117	6	
*	09105.4-1.8	105.4	109	1.8	
	073106	105.6	112.6	3.5	JASO-3106
*	09106-2.5	106	111	2.5	
*	09106-3	106	112	3	
*	09106-4	106	114	4	
*	09106-6	106	118	6	
*	09106-7	106	120	7	
*	09106.3-2	106.3	110.3	2	
*	09106.5-2.5	106.5	111.5	2.5	
*	09106.5-3	106.5	112.5	3	
*	09107-1.5	107	110	1.5	
*	09107-2	107	111	2	

O 環尺寸

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09107-2.5	107	112	2.5	
	08347	107.32	117.98	5.33	AS-347
*	09107.5-3	107.5	113.5	3	
	08244	107.54	114.6	3.53	AS-244
	08046	107.62	111.18	1.78	AS-046
	08156	107.62	112.86	2.62	AS-156
*	09108-2	108	112	2	
*	09108-3	108	114	3	
*	09108-4	108	116	4	
*	09108-5	108	118	5	
*	09108-6	108	120	6	
*	09108-7	108	122	7	
*	09108.3-4	108.3	116.3	4	
*	09109-2	109	113	2	
*	09109-3.5	109	116	3.5	
*	09109-4	109	117	4	V-110
*	09109-6.5	109	122	6.5	
*	09109-10	109	129	10	
	02110	109.4	115.6	3.1	G-110
	04110	109.5	113.5	2	S-110
	01110	109.6	121	5.7	P-110
*	09110-1	110	112	1	
*	09110-1.5	110	113	1.5	
*	09110-2	110	114	2	
*	09110-2.5	110	115	2.5	
*	09110-3	110	116	3	
*	09110-4	110	118	4	
*	09110-4.5	110	119	4.5	
*	09110-5	110	120	5	Gm-110
*	09110-6	110	122	6	
*	09110-7	110	124	7	
*	09110-8	110	126	8	
*	09110-11	110	132	11	
*	09110-13	110	136	13	
	08348	110.49	121.15	5.33	AS-348
	08245	110.72	117.78	3.53	AS-245
*	09111-8	111	127	8	
	04112	111.5	115.5	2	S-112
	073112	111.6	118.6	3.5	JASO-3112
	01112	111.6	123	5.7	P-112

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09112-1.5	112	115	1.5	
*	09112-2	112	116	2	
*	09112-2.5	112	117	2.5	
*	09112-3	112	118	3	
*	09112-4	112	120	4	
*	09112-4.5	112	121	4.5	
*	09112-5	112	122	5	
*	09112-6	112	124	6	
*	09112-7	112	126	7	
*	09113-4	113	121	4	
*	09113-7	113	127	7	
	08349	113.67	124.33	5.33	AS-349
	08425	113.67	127.65	6.99	AS-425
	08246	113.89	120.95	3.53	AS-246
	08157	113.97	119.21	2.62	AS-157
*	09114-1.5	114	117	1.5	
*	09114-2	114	118	2	
*	09114-4	114	122	4	V-115
*	09114-6	114	126	6	
*	09114-10.5	114	135	10.5	
	08047	114.02	117.58	1.78	AS-047
	02115	114.4	120.6	3.1	G-115
	04115	114.5	118.5	2	S-115
	01115	114.6	126	5.7	P-115
*	09115-1	115	117	1	
*	09115-1.5	115	118	1.5	
*	09115-2	115	119	2	
*	09115-2.5	115	120	2.5	
*	09115-3	115	121	3	
*	09115-3.5	115	122	3.5	
*	09115-4	115	123	4	
*	09115-4.5	115	124	4.5	
*	09115-5	115	125	5	Gm-115
*	09115-6	115	127	6	
*	09115-10	115	135	10	
*	09115.5-3	115.5	121.5	3	
*	09116-2	116	120	2	
*	09116-2.5	116	121	2.5	
*	09116-4	116	124	4	
	08350	116.84	127.5	5.33	AS-350

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
	08426	116.84	130.82	6.99	AS-426
*	09117-3	117	123	3	
*	09117-4	117	125	4	
*	09117-5	117	127	5	
*	09117-8	117	133	8	
	08247	117.07	124.13	3.53	AS-247
	073118	117.6	124.6	3.5	JASO-3118
*	09117.7-2	117.7	121.7	2	
*	09118-1.5	118	121	1.5	
*	09118-2	118	122	2	
*	09118-3	118	124	3	
*	09118-4	118	126	4	
*	09118-4.5	118	127	4.5	
*	09118-5	118	128	5	
*	09118-6	118	130	6	
*	09118.6-3.5	118.6	125.6	3.5	
*	09119-2	119	123	2	
*	09119-2.5	119	124	2.5	
*	09119-3	119	125	3	
	09119-4	119	127	4	V-120
	02120	119.4	125.6	3.1	G-120
	04120	119.5	123.5	2	S-120
	01120	119.6	131	5.7	P-120
*	09120-1	120	122	1	
*	09120-1.5	120	123	1.5	
*	09120-2	120	124	2	
*	09120-2.5	120	125	2.5	
*	09120-3	120	126	3	
*	09120-4	120	128	4	
*	09120-4.5	120	129	4.5	
*	09120-5	120	130	5	Gm-120
*	09120-6	120	132	6	
*	09120-10	120	140	10	
	08351	120.02	130.68	5.33	AS-351
	08427	120.02	134	6.99	AS-427
	08248	120.24	127.3	3.53	AS-248
	08158	120.32	125.56	2.62	AS-158
	08048	120.37	123.93	1.78	AS-048
*	09121-4	121	129	4	
*	09122-1.5	122	125	1.5	


	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09122-2	122	126	2	
*	09122-3	122	128	3	
*	09122-4	122	130	4	
*	09122-5	122	132	5	
*	09122.5-2	122.5	126.5	2	
*	09123-1.8	123	126.6	1.8	
*	09123-2	123	127	2	
*	09123-2.5	123	128	2.5	
*	09123-3	123	129	3	
*	09123-3.5	123	130	3.5	
	08352	123.19	133.85	5.33	AS-352
	08428	123.19	137.17	6.99	AS-428
	08249	123.42	130.48	3.53	AS-249
*	09124-2	124	128	2	
*	09124-2.5	124	129	2.5	
*	09124-3	124	130	3	
*	09124-4	124	132	4	V-125
	02125	124.4	130.6	3.1	G-125
	04125	124.5	128.5	2	S-125
	073125	124.6	131.6	3.5	JASO-3125
	01125	124.6	136	5.7	P-125
*	09125-1	125	127	1	
*	09125-1.5	125	128	1.5	
*	09125-2	125	129	2	
*	09125-2.5	125	130	2.5	
*	09125-3	125	131	3	
*	09125-4	125	133	4	
*	09125-4.5	125	134	4.5	
*	09125-5	125	135	5	Gm-125
*	09125-6	125	137	6	
*	09125-10	125	145	10	
*	09126-2	126	130	2	
*	09126-3	126	132	3	
*	09126-4	126	134	4	
	08353	126.37	137.03	5.33	AS-353
	08429	126.37	140.35	6.99	AS-429
	08250	126.59	133.65	3.53	AS-250
	08159	126.67	131.91	2.62	AS-159
	08049	126.72	130.28	1.78	AS-049
*	09127-2.5	127	132	2.5	

O 環尺寸

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09128-2	128	132	2	
*	09128-2.5	128	133	2.5	
*	09128-3	128	134	3	
*	09128-3.5	128	135	3.5	
*	09128-4	128	136	4	
*	09128-5	128	138	5	
*	09128-6	128	140	6	
*	09128-12	128	152	12	
*	09128.86-1.78	128.86	132.42	1.78	
*	09129-4	129	137	4	V-130
*	09129-20	129	169	20	
	02130	129.4	135.6	3.1	G-130
	04130	129.5	133.5	2	S-130
*	09129.5-3	129.5	135.5	3	
	08354	129.54	140.2	5.33	AS-354
	08430	129.54	143.52	6.99	AS-430
	01130	129.6	141	5.7	P-130
	08251	129.77	136.83	3.53	AS-251
*	09130-1	130	132	1	
*	09130-1.5	130	133	1.5	
*	09130-2	130	134	2	
*	09130-2.5	130	135	2.5	
*	09130-3	130	136	3	
*	09130-3.5	130	137	3.5	
*	09130-4	130	138	4	
*	09130-4.5	130	139	4.5	
*	09130-5	130	140	5	Gm-130
*	09130-6	130	142	6	
*	09130-8	130	146	8	
*	09131-3.53	131	138.06	3.53	
	04132	131.5	135.5	2	S-132
	073132	131.6	138.6	3.5	JASO-3132
	01132	131.6	143	5.7	P-132
*	09132-2	132	136	2	
*	09132-3	132	138	3	
*	09132-4	132	140	4	
*	09132-5	132	142	5	
	08355	132.72	143.38	5.33	AS-355
	08431	132.72	146.7	6.99	AS-431
	08252	132.94	140	3.53	AS-252

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09133-4	133	141	4	
	08160	133.02	138.26	2.62	AS-160
	08050	133.07	136.63	1.78	AS-050
*	09133.7-1	133.7	135.7	1	
*	09134-3.5	134	141	3.5	
*	09134-4	134	142	4	V-135
*	09134-6	134	146	6	
*	09134-24	134	182	24	
	02135	134.4	140.6	3.1	G-135
	04135	134.5	138.5	2	S-135
	01135	134.6	146	5.7	P-135
*	09135-1	135	137	1	
*	09135-1.5	135	138	1.5	
*	09135-2	135	139	2	
*	09135-2.5	135	140	2.5	
*	09135-3	135	141	3	
*	09135-4	135	143	4	
*	09135-5	135	145	5	Gm-135
*	09135-6	135	147	6	
*	09135-8	135	151	8	
*	09135-10	135	155	10	
*	09135-14	135	163	14	
*	09135.3-3	135.3	141.3	3	
	08356	135.89	146.55	5.33	AS-356
	08432	135.89	149.87	6.99	AS-432
*	09136-2	136	140	2	
	08253	136.12	143.18	3.53	AS-253
*	09137-3	137	143	3	
*	09137.5-2.5	137.5	142.5	2.5	
*	09138-2	138	142	2	
*	09138-2.5	138	143	2.5	
*	09138-4	138	146	4	
*	09138-5	138	148	5	
*	09138-6	138	150	6	
*	09138-10	138	158	10	
*	09138.5-4	138.5	146.5	4	V-140
*	09139-2	139	143	2	
*	09139-2.5	139	144	2.5	
*	09139-3	139	145	3	
*	09139-10.5	139	160	10.5	

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)