


O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09176-6	176	188	6	
*	09177-2.5	177	182	2.5	
*	09177-3	177	183	3	
	08365	177.17	187.83	5.33	AS-365
	08441	177.17	191.15	6.99	AS-441
	08262	177.4	184.46	3.53	AS-262
	08167	177.47	182.71	2.62	AS-167
*	09177.7-7	177.7	191.7	7	
*	09178-2	178	182	2	
*	09178-2.5	178	183	2.5	
*	09178-3	178	184	3	
*	09178-4	178	186	4	V-180
*	09178-5	178	188	5	
*	09178-6	178	190	6	
*	09179-3	179	185	3	
*	09179.3-3.1	179.3	185.5	3.1	Gs-180
	02180	179.3	190.7	5.7	G-180
*	04180	179.5	183.5	2	S-180
*	09179.5-7.7	179.5	194.9	7.7	
	01180	179.5	196.3	8.4	P-180
*	09180-1.5	180	183	1.5	
*	09180-2	180	184	2	
*	09180-2.5	180	185	2.5	
*	09180-3	180	186	3	
*	09180-3.5	180	187	3.5	
*	09180-4	180	188	4	
*	09180-4.5	180	189	4.5	
*	09180-5	180	190	5	Gm-180
*	09180-6	180	192	6	
*	09180-10	180	200	10	
*	09182-2	182	186	2	
*	09182-3	182	188	3	
*	09183-4	183	191	4	V-185
	08366	183.52	194.18	5.33	AS-366
	08442	183.52	197.5	6.99	AS-442
	08263	183.75	190.81	3.53	AS-263
	08168	183.82	189.06	2.62	AS-168
*	09184-3	184	190	3	
*	09184-4	184	192	4	
*	09184.3-3.1	184.3	190.5	3.1	Gs-185

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
	02185	184.3	195.7	5.7	G-185
*	04185	184.5	188.5	2	S-185
	01185	184.5	201.3	8.4	P-185
*	09184.7-12	184.7	208.7	12	
*	09185-2	185	189	2	
*	09185-2.5	185	190	2.5	
*	09185-2.65	185	190.3	2.65	
*	09185-3	185	191	3	
*	09185-3.5	185	192	3.5	
*	09185-4	185	193	4	
*	09185-5	185	195	5	Gm-185
*	09185-6	185	197	6	
*	09185-8	185	201	8	
*	09185-10	185	205	10	
*	09186-3.5	186	193	3.5	
*	09187.3-7	187.3	201.3	7	
*	09188-1.5	188	191	1.5	
*	09188-2	188	192	2	
*	09188-2.5	188	193	2.5	
*	09188-4	188	196	4	V-190
*	09188-6.5	188	201	6.5	
*	09189-3	189	195	3	
*	09189.3-3.1	189.3	195.5	3.1	Gs-190
	02190	189.3	200.7	5.7	G-190
*	04190	189.5	193.5	2	S-190
	01190	189.5	206.3	8.4	P-190
	08367	189.87	200.53	5.33	AS-367
	08443	189.87	203.85	6.99	AS-443
*	09190-1.5	190	193	1.5	
*	09190-2	190	194	2	
*	09190-3	190	196	3	
*	09190-4	190	198	4	
*	09190-4.5	190	199	4.5	
*	09190-5	190	200	5	Gm-190
*	09190-6	190	202	6	
*	09190-8	190	206	8	
	08264	190.1	197.16	3.53	AS-264
	08169	190.17	195.41	2.62	AS-169
*	09191-4	191	199	4	
*	09191.5-3	191.5	197.5	3	

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09192-2	192	196	2	
*	09192-2.5	192	197	2.5	
*	09192-3	192	198	3	
*	09192-4	192	200	4	
*	09193-3	193	199	3	
*	09193-4	193	201	4	V-195
*	09193-6	193	205	6	
*	09193.37-1.78	193.37	196.93	1.78	
*	09194-1.78	194	197.56	1.78	
*	09194-4	194	202	4	
*	09194.3-3.1	194.3	200.5	3.1	Gs-195
	02195	194.3	205.7	5.7	G-195
*	04195	194.5	198.5	2	S-195
	01195	194.5	211.3	8.4	P-195
*	09195-1	195	197	1	
*	09195-1.5	195	198	1.5	
*	09195-2	195	199	2	
*	09195-2.5	195	200	2.5	
*	09195-3	195	201	3	
*	09195-3.5	195	202	3.5	
*	09195-4	195	203	4	
*	09195-5	195	205	5	Gm-195
*	09195-8	195	211	8	
*	09195-10	195	215	10	
*	09195.5-8	195.5	211.5	8	
*	09196-1.78	196	199.56	1.78	
*	09196-6	196	208	6	
	08368	196.22	206.88	5.33	AS-368
	08444	196.22	210.2	6.99	AS-444
	08265	196.45	203.51	3.53	AS-265
	08170	196.52	201.76	2.62	AS-170
*	09198-3	198	204	3	
*	09198-4	198	206	4	V-200
*	09199.3-3.1	199.3	205.5	3.1	Gs-200
	02200	199.3	210.7	5.7	G-200
*	04200	199.5	203.5	2	S-200
	01200	199.5	216.3	8.4	P-200
*	09200-2	200	204	2	
*	09200-2.5	200	205	2.5	
*	09200-3	200	206	3	


	加耐力編號 CNL Part No.	內徑 d	外徑 D	線經 W	規格代碼
*	09200-3.5	200	207	3.5	
*	09200-4	200	208	4	
*	09200-5	200	210	5	Gm-200
*	09200-6	200	212	6	
*	09200-7	200	214	7	
*	09200-8	200	216	8	
*	09200-10	200	220	10	
*	09201-7	201	215	7	
*	09202-4	202	210	4	
	08369	202.57	213.23	5.33	AS-369
	08445	202.57	216.55	6.99	AS-445
	08266	202.8	209.86	3.53	AS-266
	08171	202.87	208.11	2.62	AS-171
*	09203-3	203	209	3	
*	09203-4	203	211	4	V-205
*	09204-2.5	204	209	2.5	
*	09204-5	204	214	5	
*	09204.3-3.1	204.3	210.5	3.1	Gs-205
*	02205	204.3	215.7	5.7	G-205
*	04205	204.5	208.5	2	S-205
	01205	204.5	221.3	8.4	P-205
*	09205-2	205	209	2	
*	09205-3	205	211	3	
*	09205-4	205	213	4	
*	09205-4.5	205	214	4.5	
*	09205-5	205	215	5	Gm-205
*	09205-6	205	217	6	
*	09205-8	205	221	8	
*	09205-10	205	225	10	
*	09206-5.33	206	216.66	5.33	
*	09206-7	206	220	7	
*	09207-5	207	217	5	
*	09208-4	208	216	4	V-210
*	09208-4.5	208	217	4.5	
*	09208-6	208	220	6	
	01209	208.5	225.3	8.4	P-209
	08370	208.92	219.58	5.33	AS-370
*	09208.92-7	208.92	222.92	7	
	08267	209.15	216.21	3.53	AS-267
	08172	209.22	214.46	2.62	AS-172

O 環尺寸

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)

O環尺寸表 (依內徑排序)

O-Ring Size List (Inner Diameter List)



材質	JIS 記號	1 種 A	1 種 B	3 種	4 種 C	4 種 D
	CNL 記號	NB7000K	NB9000K	EP7000K	SI7000R	VT7500K

單位 unit: mm

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	09209.3-3.1	209.3	215.5	3.1	Gs-210
	02210	209.3	220.7	5.7	G-210
*	04210	209.5	213.5	2	S-210
	01210	209.5	226.3	8.4	P-210
*	09210-1.5	210	213	1.5	
*	09210-2	210	214	2	
*	09210-3	210	216	3	
*	09210-4	210	218	4	
*	09210-5	210	220	5	Gm-210
*	09210-6	210	222	6	
*	09210-8	210	226	8	
*	09210-10	210	230	10	
*	09211.02-7	211.02	225.02	7	
*	09212-6	212	224	6	
*	09213-4	213	221	4	V-215
*	09214-3	214	220	3	
*	09214.3-3.1	214.3	220.5	3.1	Gs-215
*	02215	214.3	225.7	5.7	G-215
*	04215	214.5	218.5	2	S-215
	01215	214.5	231.3	8.4	P-215
*	09215-2	215	219	2	
*	09215-2.5	215	220	2.5	
*	09215-3	215	221	3	
*	09215-4	215	223	4	
*	09215-4.5	215	224	4.5	
*	09215-5	215	225	5	Gm-215
*	09215-6	215	227	6	
*	09215-8	215	231	8	
	08371	215.27	225.93	5.33	AS-371
	08446	215.27	229.25	6.99	AS-446
	08268	215.5	222.56	3.53	AS-268
	08173	215.57	220.81	2.62	AS-173
*	09216-3	216	222	3	
*	09217-5	217	227	5	
*	09217-10	217	237	10	
*	09218-2	218	222	2	
*	09218-2.5	218	223	2.5	
*	09218-4	218	226	4	V-220
*	09219.3-3.1	219.3	225.5	3.1	Gs-220
	02220	219.3	230.7	5.7	G-220

	加耐力編號 CNL Part No.	內徑 d	外徑 D	線徑 W	規格代碼
*	04220	219.5	223.5	2	S-220
	01220	219.5	236.3	8.4	P-220
*	09220-1	220	222	1	
*	09220-2	220	224	2	
*	09220-2.5	220	225	2.5	
*	09220-3	220	226	3	
*	09220-4	220	228	4	
*	09220-4.5	220	229	4.5	
*	09220-5	220	230	5	Gm-220
*	09220-6	220	232	6	
*	09220-8	220	236	8	
*	09220-10	220	240	10	
*	09220-14	220	248	14	
*	09220.3-1.5	220.3	223.3	1.5	
*	09221-7	221	235	7	
	08372	221.62	232.28	5.33	AS-372
*	09221.69-7	221.69	235.69	7	
	08269	221.85	228.91	3.53	AS-269
	08174	221.92	227.16	2.62	AS-174
*	09222-4	222	230	4	
	09222.5-6	222.5	234.5	6	V-225
*	09224.3-3.1	224.3	230.5	3.1	Gs-225
*	02225	224.3	235.7	5.7	G-225
*	04225	224.5	228.5	2	S-225
	01225	224.5	241.3	8.4	P-225
*	09225-2	225	229	2	
*	09225-2.5	225	230	2.5	
*	09225-3	225	231	3	
*	09225-3.5	225	232	3.5	
*	09225-4	225	233	4	
*	09225-5	225	235	5	Gm-225
*	09225-6	225	237	6	
*	09225-7	225	239	7	
*	09225-8	225	241	8	
*	09225-10	225	245	10	
*	09225-11	225	247	11	
*	09225.5-5	225.5	235.5	5	
*	09226.5-13	226.5	252.5	13	
*	09227.5-6	227.5	239.5	6	V-230
	08373	227.97	238.63	5.33	AS-373

* 符號代表國際規範外， 加耐力公司的特別尺寸 (* means CNL special design outside the international standard specifications)